

ORIGINAL

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: ROBERT TAYLOR Operator Well No.: KING #4

LOCATION: Elevation: 1,198' Quadrangle: ELKHURST 7.5'
District: UNION County: CLAY
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL X GAS X

Company CUNNINGHAM ENERGY, LLC
3230 PENNSYLVANIA AVE.
CHARLESTON, WV 25302

Coal Operator NO COAL LISTED ON TITLE
or Owner _____

Agent RYAN E. M. CUNNINGHAM

Coal Operator NONE
or Owner _____

Permit Issued Date 4/8/2014

RECEIVED
Office of Oil and Gas
JUN 16 2014

STATE OF WEST VIRGINIA,
County of KANAWHA ss:

AFFIDAVIT

WV Department of
Environmental Protection

ROGER McCOMAS and TERRY HUFFMAN


being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 19th day of APRIL, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
6 % GEL HOLE	SURFACE	2077'		
CEMENT	2077'	1897'	7.5 BBL. CEMENT/ 3.2 DISPL.	
CEMENT	1900'	1800'	2.5 BBL. CEMENT/ 3 DISPL.	
CEMENT	1285'	1093'	PERFED 5 1/2" FROM 1202' - 1198'	
5 1/2"	701'	SURFACE	701'	UNKNOWN
CEMENT	748'	648'	4 BBL. CEMENT/ 1 DISPL.	
7"	198'	SURFACE	198'	UNKNOWN

Description of monument: ERECT MONUMENT WITH API: 47-1502894
said well was completed on the 28th day of MAY, 2014, and that the work of plugging and filling

And further deponents saith not.

Sworn and subscribe before me this 12th day of MAY, 2014



My commission expires: 2/10/2015

Danielle N. Bays
Notary Public

Affidavit reviewed by the Office of Oil and Gas:

Title: Inspector

Did not witness all plugs 6/12/14

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: ROBERT TAYLOR Operator Well No.: KING #4

LOCATION: Elevation: 1,198' Quadrangle: ELKHURST 7.5'
District: UNION County: CLAY
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL X GAS X

Company CUNNINGHAM ENERGY, LLC Coal Operator NO COAL LISTED ON TITLE
3230 PENNSYLVANIA AVE. or Owner _____
CHARLESTON, WV 25302 _____

Agent RYAN E. M. CUNNINGHAM Coal Operator NONE
Permit Issued Date 4/8/2014 or Owner _____

RECEIVED

Office of Oil and Gas

JUN 16 2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of KANAWHA ss:

ROGER McCOMAS and TERRY HUFFMAN being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the _____ day of APRIL, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	268'	SURFACE	16 BBL. CEMENT	


Description of monument: ERECT MONUMENT WITH API: 47-1502894 and that the work of plugging and filling said well was completed on the _____ day of MAY, 2014.

And further deponents saith not.

Sworn and subscribe before me this 12th day of MAY, 2014

My commission expires: 2/10/2015

Danielle N. Bays
Notary Public



Affidavit reviewed by the Office of Oil and Gas: _____ Title: _____

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Messenger, B.S. Operator Well No.: 158271 (B.S. Messenger #3)

LOCATION: Elevation: 1149' Quadrangle: Auburn
District: Troy County: Gilmer
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT Production Company Coal Operator Richard Bingham C/O Robert Bingham
120 Professional Place or Owner 220 Finnegan Drive
Bridgeport, WV 26330 Millersville, MD 21108-2576
Coal Operator Forrest Messenger
Agent John Damato or Owner 29 Lynn Street
Permit Issued Date 04/22/2014 Evans, WV 25241-9738

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Upshur ss:

William Adkins and Tim Marsh being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 5th day of May, 2014 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	1865'	1635'	5 1/2" 1489'	0'
Cement	1543'	1180'	7" 0'	1377'
Cement	1180'	960'	8 1/4" 0'	337'
Cement	387'	0'		

Description of monument: 7" pipe 4' above ground with API #
said well was completed on the 16th day of May, 2014.


And further deponents saith not.

Tim Marsh
William Adkins

Sworn and subscribe before me this 21st day of May, 2014

My commission expires: 06-12-2016

Denise H. Pulliam
Notary Public



Affidavit reviewed by the Office of Oil and Gas: Bryan O'Hara

Title: 6-3-14

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Steinbeck Heirs Operator Well No.: Steinbeck #6 (160071)

LOCATION: Elevation: 1132' Quadrangle: Gilmer
District: Troy County: Gilmer
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EOT Production Company Coal Operator Unknown
120 Professional Place or Owner
Bridgeport, WV 26330

Agent John Damato Coal Operator _____
Permit Issued Date 04/22/2014 or Owner _____

RECEIVED
Office of Oil and Gas

AFFIDAVIT

JUN 23 2014

STATE OF WEST VIRGINIA,
County of Upshur ss:

Kevin Metz and Rodney Smith being first duly sworn according to law do depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 13th day of May, 2014 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	1905'	1700'	5 1/2" 695'	1269'
Cement	1474'	1180'		
Cement	1180'	987'		
Cement	920'	580'		
Cement	580'	460'		
Cement	200'	0'		

Description of monument: 7" pipe 4' above ground with API # and that the work of plugging and filling
said well was completed on the 28th day of May, 2014.


And further deponents saith not.

Rodney Smith
Kevin Metz

Sworn and subscribe before me this 3rd day of June, 2014

My commission expires: 06/12/2016

Denise H. Pulliam
Notary Public



Affidavit reviewed by the Office of Oil and Gas: Susan O'Hara Title: 6-3-14

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: LAWSON HEIRS INCORPORATED Operator Well No.: 1-S-135571

LOCATION: Elevation: 710' Quadrangle: LOGAN 7.5'
District: LOGAN County: LOGAN
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT PRODUCTION COMPANY
120 PROFESSIONAL PLACE
BRIDGEPORT, WV 26330

Coal Operator LAWSON HEIRS INCORPORATED
or Owner P.O. BOX 648
WYTHEVILLE, VA 24382-0648

Agent JOHN DAMATO

Permit Issued Date 4/15/2014

Coal Operator
or Owner

RECEIVED
Office of Oil and Gas

JUN 23 2014

AFFIDAVIT

WV Department of
Environmental Protection

STATE OF WEST VIRGINIA,
County of KANAWHA ss:

ROGER McCOMAS and OSWALD WILEY

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 14TH day of MAY, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	1533'	1430'	CEMENT PLUG 4.7 BBL.	5.5 BBL. DISPL.
PULLED 5 1/2"			1480'	3179'
CEMENT	1070'	968'	CEMENT PLUG 6.4 BBL./4.1 DISPL.	PERFED 8 5/8": 1068'-1060'
CEMENT	760'	650'	CEMENT PLUG 6.9 BBL./2.5 DISPL.	PERFED 8 5/8" 700'-693'
CEMENT	449'	348'	CEMENT PLUG 6.8 BBL./1.3 BBL. DISPL.	PERFED 8 5/8" 398'-390'
CEMENT	326'	SURFACE	CEMENT PLUG 21.7 BBL.	PERFED 8 5/8": 92'-90'; 72'-69'
				64'-60'; 55'-53'; 42'-40'


Description of monument: ERECT MONUMENT WITH API: 47-4501193
said well was completed on the 23rd day of May, 2014, and that the work of plugging and filling

And further deponents saith not.

Sworn and subscribe before me this 14 day of MAY, 2014

My commission expires: 2/10/2014

Roger McComas
Oswald Wiley



Notary Public

Affidavit reviewed by the Office of Oil and Gas:

Raeel D. Trupia

Title: District Inspector

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

135571

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: LAWSON HEIRS INCORPORATED Operator Well No.: 1-S-135571

LOCATION: Elevation: 710' Quadrangle: LOGAN 7.5'
District: LOGAN County: LOGAN
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT PRODUCTION COMPANY
120 PROFESSIONAL PLACE
BRIDGEPORT, WV 26330

Coal Operator LAWSON HEIRS INCORPORATED
or Owner P.O. BOX 648
WYTHEVILLE, VA 24382-0648

Agent JOHN DAMATO

Permit Issued Date 4/15/2014

Coal Operator
or Owner

RECEIVED
Office of Oil and Gas

JUN 3 8 2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of KANAWHA ss:

Department of
Environmental Protection

ROGER McCOMAS and OSWALD WILEY being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 14TH day of MAY, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
GEL HOLE	SURFACE	4659'		
CEMENT	4462'	4261'	CEMENT PLUG 5 BBL.	16.3 BBL. DISPL.
CEMENT	3767'	3567'	CEMENT PLUG 5 BBL.	13.7 BBL. DISPL.
CEMENT	3534'	2737'	797'	0
CEMENT	2909'	2620'	CEMENT PLUG 7 BBL.	10 BBL. DISPL.
CEMENT	2243'	2032'	CEMENT PLUG 5.2 BBL.	7.8 BBL. DISPL.
CEMENT	1967'	1750'	CEMENT PLUG 7 BBL/6.7 DISPL.	PERFED 5 1/2" 1924' - 1918'

Description of monument: ERECT MONUMENT WITH API: 47-4501193 and that the work of plugging and filling said well was completed on the 23rd day of May, 2014.


And further deponents saith not.

Roger McComas
Oswald Wiley

Sworn and subscribe before me this 14 day of MAY, 2014

My commission expires: 2/10/2014

Daniel N. Bays
Notary Public



Affidavit reviewed by the Office of Oil and Gas:

Ronald D. Triplett

Title: District Inspector

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
ALLEGHENY FORESTLAND, LLC
Lease or Property Owner
3001 EMERSON AVE, PARKERSBURG, WV 26104
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5457
Well No.
ALLEGHENY FORESTLANDS, LLC
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Bill Hudson*

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 3rd day of March, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Removed all cable from the surface to 2125'. Removed all 2 3/8" tubing from the surface to 2141'. Removed 1948' of 5 1/2" casing from the surface to 1948'. Left 181' of 5 1/2" casing in the hole from 1948' to 2129'. Tagged solid plug at 2145'. Removed 1604' of 7" casing from the surface to 1604'. Left unknown amount of 7" casing in the hole from 1604' to an unknown depth. Cut remaining 7" casing at the following depths: 1728', 1829' and 1948'. Cement bottom hole from 2145' to 1826' with 50 sacks of Expandable Cement. Removed 1243' of 8 5/8" casing from the surface to 1243'. Left 252' of 8 5/8" casing in the hole from 1243' to 1495'. Cut remaining 8 5/8" casing at the following depth: 1345'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1007' to 1014'. <u>Cemented hole from 1826' back to surface as follows:</u> From 1826' to 1219' with 105 sacks of Expandable Cement. From 1219' to 907' with 175 sacks of Thixotropic Cement with Dye. From 907' to the surface with 390 sacks of Expandable Cement. A total of 720 sacks of cement were used to fill the hole from 2145' back to surface. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.	16" Conductor	0'	20'	
	8 5/8" Casing	1243'	252'	
	7" Casing	1604'	Unknown	
	5 1/2" Casing	1948'	181'	
	2 3/8" Tubing	2141'	0'	
	Cable	2125'	0'	
Coal Seams		<div>RECEIVED Office of Oil and Gas JUN 23 2014 WV Department of Environmental Protection</div>		
Pittsburgh	(1007' - 1014')			
Description of Monument		77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 7th day of April, 2014

And further deponents saith not.


Mark Wilson
Mark Wilson

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 12th day of May 2014

Kena Beth Forst
Notary Public

... My commission expires: 11/4/23



Permit No. 47-049-01658-P
Well No. 5457

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WILLIAM C. & VICKIE E. LUCAS
Lease or Property Owner
85 EVANS RUN ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5346
Well No.
LUCAS, WILLIAM C. & VICKIE E.
Farm

RECEIVED
Office of Oil and Gas

STATE INSPECTOR SUPERVISING PLUGGING *Delbert Moore*

JUN 28 2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

WV Department of
Environmental Protection

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 28th day of March, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to 392'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 392' to 1022'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1022' to 2091'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 2091' to 2120'. Tagged solid plug at 2120'. Removed 209' of 8 5/8" casing from 1022' to 1231'. Left 271' of 8 5/8" casing in the hole from 1231' to 1502'. Cut remaining 8 5/8" casing at the following depths: 1403' and 1303'. Left an unknown amount of 7" casing in the hole from 2091' to unknown depth. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1016' to 1022'.		16" Conductor 8 5/8" Casing 7" Casing	0' 209' 0'	20' 271' Unknown
<u>Cemented hole from 2120' back to surface as follows:</u> From 2120' to 1129' with 240 sacks of Expandable Cement and 60 sacks of Thixotropic Cement. From 1129' to 916' with 125 sacks of Thixotropic Cement with Green Dye. From 916' to the surface with 460 sacks of Expandable Cement. A total of 885 sacks of cement were used to fill the hole from 1253' back to surface. Cement did circulate at the surface. Left 20' of 16" Conductor Casing in the hole from the surface to 20'.				
Coal Seams	Description of Monument			
<u>Pittsburgh</u>	<u>(1016' - 1022')</u> 77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.			

RECEIVED
Office of Oil and Gas

WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 14th day of April, 2014

And further deponents saith not.

Delbert Moore
Delbert Moore


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 15th day of May 2014

Kara Beth Forst
Notary Public

My commission expires: November 4, 2023

Permit No. 47-049-02286-P



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Lease or Property Owner
1 BRIDGE ST. MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5
Well Location
MANNINGTON
District
MARION
County
5124
Well No.
STRAIGHT, W.S. & JAS W.
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

ROGER MOORE and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 30th day of April, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from Surface to 234'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 234' to 588'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 588' to 1212'. Cleaned 7 7/8" hole through the Pittsburgh Coal seam from 992' to 998'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1212' to 1310'. <u>Cemented hole from 1310' back to the surface as follows:</u> From 1310' to 1199' with 53 sacks of Expandable Cement. From 1199' to 892' with 180 sacks of Thixotropic Cement with Green Dye. From 892' to Surface with 330 sacks of Expandable Cement. A total of 560 sacks of cement were used to cement the hole from 1310' back to the Surface. Cement did circulate at the Surface. Left 20' of 16" conductor casing in the hole from Surface to 20'.	16" Conductor	0'	20'	
		RECEIVED Office of Oil & Gas JUN 23 1994 WV Department of Environmental Protection		
Coal Seams		Description of Monument		
PITTSBURGH	992' to 998'	77" of 7" casing w/company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		
(Name)				
(Name)				
(Name)				

... And that the work of plugging and filling said well was completed on the 19th day of May, 2014.

And further deponents saith not.


Roger Moore
Roger Moore
Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 9th day of June 2014

Carol A. Mayle
Notary Public

My commission expires: 9-12-2017

Permit No. 47-49-02292-P
Well No. 5124



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
PRISCILLA HAMILTON
Lease or Property Owner
3 BEHLAR ROAD, FAIRVIEW, WV 26570
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5338
Well No.
HAMILTON, PRISCILLA
Farm

STATE INSPECTOR SUPERVISING PLUGGING *[Signature]*

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MIKE CAMPBELL and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 28th day of April, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to 308'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 308' to 1057'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1057' to 1554'. Tagged solid plug at 1554'. Cleaned 9 7/8" hole through the Pittsburgh Coal Seam from 982' to 988'. Removed 160' of 8 5/8" casing from 1057' to 1217'. Left 238' of 8 5/8" casing in the hole from 1217' to 1454'. Cut remaining 8 5/8" casing at the following depth: 1303'. <u>Cemented hole from 1554' back to surface as follows:</u> From 1554' to 1188' with 80 sacks of Expandable Cement. From 1188' to 982' with 160 sacks of Thixotropic Cement with Green Dye. From 982' to the Surface with 400 sacks of Expandable Cement. A total of 640 sacks of cement were used to fill the hole from 1554' back to surface. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.	16" Conductor	0'	20'	
		RECEIVED Office of Oil and Gas JUN 23 2014 WV Department of Environmental Protection		
Coal Seams				
Pittsburgh	(982' - 988')			
Description of Monument				
		77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 9th day of May, 2014

And further deponents saith not.


[Signature]
Mike Campbell

[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 5th day of June 2014

Kara Beth Forst
Notary Public

My commission expires:
November 4, 2023



Permit No. 47-049-02298-P
Well No. 5338

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WILLIAM H. PARRISH
Lease or Property Owner
9 OCTANT WAY, MIDDLE RIVER, MD 21220
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5339
Well No.
PARRISH, WILLIAM M.
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Bill Harkins*

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MIKE MITCHELL and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 2nd day of May, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Removed all 2 3/8" tubing from Surface to 559'. Cleaned 12 1/4" hole from Surface to 312'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 312' to 568'. Tagged top of 8 5/8" casing. Cleaned through 8 5/8" casing from 568' to 1415'. Tagged solid plug at 1415'. Removed 842' of 8 5/8" casing from 568' to 1410'. Left an unknown amount of 8 5/8" casing in the hole from 1410' to an unknown depth. Cleaned 9 7/8" hole from 568' to 1356 with extreme difficulty due to caving. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1020' to 1027'.		16" Conductor 8 5/8" Casing 2 3/8" Tubing	0' 842' 559'	12' Unknown 0'
<u>Cemented hole from 1415' back to surface as follows:</u> From 1415' to 1356' with 9.6 lb/gal Gel Plug. From 1356' to 1227' with 105 sacks of Expandable Cement. From 1227' to 820' with 225 sacks of Thixotropic Cement with dye. From 820' back to Surface with 390 sacks of Expandable Cement. Cement did circulate at the surface. Left 12' of 16" conductor casing in the hole from the surface to 12'.		RECEIVED Office of Oil and Gas JUN 23 2003 WV Department of Environmental Protection		
Coal Seams		Description of Monument		
Pittsburgh	(1020' - 1027')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 22nd day of May, 2014

And further deponents saith not.


Mike Mitchell
Mike Mitchell

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 9th day of June 2014

Carol A. Mayle
Notary Public

My commission expires: 9-12-2017



Permit No. 47-049-02299-P
Well No. 5339

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
NEWTON S. BEATY (c/o) DONALD SNIDER
Lease or Property Owner
169 BUFFALO BRINK RD. MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
MANNINGTON 7.5
Well Location
MANNINGTON
District
MARION
County
3955
Well No.
BEATY, NEWTON S.
Farm

STATE INSPECTOR SUPERVISING PLUGGING *[Signature]*

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of **MONONGALIA** ss:

MIKE CAMPBELL and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 12th day of May, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from Surface to 428'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 428' to 1178'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1178' to 1221'. Tagged solid plug at 1221'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 706' to 713'. Possible junk through the Pittsburgh Coal seam from 706' to 713'. Left 20' of 16" conductor casing from Surface to 20'. <u>Cemented hole from 1221' back to the surface as follows:</u> From 1221 to 913' with 115 sacks of Expandable Cement. From 913' to 606' with 155 sacks of Thixotropic Cement with dye. From 606' to Surface with 350 sacks of Expandable Cement. A total of 620 sacks of cement were used to cement the hole from 5100' back to the Surface. Left 20' of 16" conductor casing in the hole from Surface to 20'.	16" Conductor	0'	20'	
		RECEIVED Office of Oil and Gas JUN 23 2014 WV Department of Environmental Protection		
Coal Seams		Description of Monument		
<u>PITTSBURGH</u>	706' to 713'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		
And that the work of monument and BUI				

... And that the work of plugging and filling said well was completed on the 22nd day of May, 2014.

And further deponents saith not.

[Signature]
Mike Campbell


[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 5th day of June 2014

[Signature]
Notary Public

My commission expires: November 4, 2023

Permit No. **47-49-02305-P**
Well No. **3955**



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

MCELROY COAL COMPANY
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address
MCELROY COAL COMPANY
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address
RILEY & MAUD GORBY
Lease or Property Owner
40 DEXTER AVENUE, MOUNDSVILLE, WV 26041
Address

MCELROY COAL COMPANY
Name of Well Operator
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Complete Address
CAMERON, WV 7.5'
Well Location
CAMERON
District
MARSHALL
County
M-1543
Well No.
GORBY, RILEY & MAUD
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 1st day of February, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Removed 3098' of 3 1/2" casing from Surface to 3098'. Removed 2297' of 5 1/2" casing from Surface to 2297'. Cut 7" casing at the following depths: 2101', 1993', 1883', 1777', 1675' and 1572'. Cemented bottom hole from 3098' to 2100' with Expandable Cement. Removed 1568' of 7" casing from the surface to 1568'. Left unknown amount of 7" casing in the hole from 1568' to unknown depth. Cleaned 12 1/4" hole from the surface to 344'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 344' to 594'. Tagged top of 8 5/8" casing at 594'. Cut 8 5/8" casing at the following depths: 1323', 1225', 1130', 959', 744' and 713'. Removed 60' of 8 5/8" casing from 594' to 654' with extreme difficulty due to casing being bonded. Cemented hole from 2100' to 1224' with Expandable Cement. Section Milled 8 5/8" casing from 979' to 1022'. Section Milled 8 5/8" casing through the Pittsburgh Coal seam from 987' to 993'. Left 20' of 16" Conductor Casing in the hole from the surface to 20'.	16" Casing 8 5/8" Casing 7" Casing 5 1/2" Casing 3 1/2" Casing	0' 60' 1568' 2297' 3098'	20' 714' Unknown 0' 0'	
<u>Cemented hole from 1224' to the surface as follows:</u> From 1224' to 875' with 100 sacks of Thixotropic Cement with Green Dye. From 875' to the surface with Expandable Cement. A total of 750 sacks of both cements were used to cement the hole from 3098' to the surface. Cement did circulate at the surface.		RECEIVED Office of Oil and Gas JUN 23 2010 WV Department of Environmental Protection		
Coal Seams		Description of Monument		
Pittsburgh	(987' - 993')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 10th day of March, 2014.

And further deponents saith not.


Mark Wilson
Mark Wilson

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 12th day of May 2014

Kara Beth Forst
Notary Public

My commission expires: 11/4/23



Permit No. 47-51-00123-P
Well No. M-1543

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Mountaineer Power Plant Operator Well No.: AEP-1

LOCATION: Elevation: 586.7 Quadrangle: New Haven
District: Graham County: Mason
Latitude: 0 Feet South of 38 Deg. 58 Min. 33.97 Sec.
Longitude: 0 Feet West of -81 Deg. 56 Min. 16.71 Sec.

Well Type: OIL GAS OTHER Deep Class II CO2 Injection Well

Company Appalachian Power Company and Ohio Coal Operator No coal interests with declaration
Power Company dba American Electric Power or Owner
700 Morrison Rd., Gahanna, OH 43230

Agent Richard D. Thompson Coal Operator No coal interests with declaration
Permit Issued Date 4/9/14, 5/30/14 or Owner

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MASON ss:

CAITLIN MCNEIL and H. JAMES HOLLEY II being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 5 day of MAY, 2014 and the well was plugged and filled in the following manner:

Type	From	To	Pipe Removed	List
Class A cement	0 ft.	2512 ft.	No Casing Pulled	8,332 ft. 4-1/2" Casing
Class A cement	2512 ft.	2840 ft.	No Casing Pulled	8,332 ft. 4-1/2" Casing
Bentonite Gel	2840 ft.	4841 ft.	No Casing Pulled	8,332 ft. 4-1/2" Casing
Class A cement	4841 ft.	5040 ft.	No Casing Pulled	8,332 ft. 4-1/2" Casing
Bentonite Gel	5040 ft.	6148 ft.	No Casing Pulled	8,332 ft. 4-1/2" Casing
Class A cement	6148 ft.	6385 ft.	No Casing Pulled	8,332 ft. 4-1/2" Casing
Bentonite Gel	6385 ft.	7570 ft.	No Casing Pulled	8,332 ft. 4-1/2" Casing
50/50 Poz Cement	7570 ft.	8100 ft.	No Casing Pulled	8,332 ft. 4-1/2" Casing
Mechanical Retainer	8100 ft.	8100 ft.	No Casing Pulled	8,332 ft. 4-1/2" Casing
50/50 Poz Cement	8100 ft.	8332 ft. (TD)	No Casing Pulled	8,332 ft. 4-1/2" Casing
Class H Cement (Annulus Squeeze)	0 ft. (9-5/8" Annulus)	2,750 ft. (9-5/8" Annulus)	No Casing Pulled	8,332 ft. 4-1/2" Casing

Description of monument STEEL SUBSURFACE PLATE and that the work of plugging and filling said well was completed on the 5 day of JUNE, 2014.

And further deponents saith not.


Sworn and subscribe before me this 6th day of June, 2014

My commission expires: 1/10/22

Notary Public

Affidavit reviewed by the Office of Oil and Gas

Title: 6/3/2014 OK.



STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: O.D. Stockley Operator Well No.: 179

LOCATION: Elevation: 1132 ft. Quadrangle: Newton
District: Geary County: Roane
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS water inj.

*easting 0486693
northing 4267413*

Company Triad Hunter LLC
125 Putnam Street
Marietta, Ohio 45750

Coal Operator NA
or Owner _____

Agent Kim Arnold
Permit Issued Date 4-23-14

Coal Operator NA
or Owner _____

RECEIVED
Office of Oil and Gas

JUN 23 2014

AFFIDAVIT

WV Department of
Environmental Protection

STATE OF WEST VIRGINIA,
County of Roane ss:

Rickey Duckworth and Robert Stewart being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 9 day of June, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
cement	1950	1700	1150 ft. 4.5	822 ft.
cement	1182	1082		
cement	270	170		
cement	100	0		

Description of monument: 7 in. pipe API No. welded on plate
said well was completed on the 13 day of June, 2014.

and that the work of plugging and filling

And further deponents saith not.

Rickey Duckworth
Robert A. Stewart

Sworn and subscribe before me this 13 day of June, 2014

My commission expires: 10-7-2023

Timothy E. Keaton
Notary Public



Inspector
Did not witness all plugs

**STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS**

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: McPeck, Charles & Patricia Operator Well No.: F.R. Wells # 5

LOCATION: Elevation: 713' GPS Quadrangle: New Matamoros
District: Lincoln County: Tyler
Latitude: 12,425 Feet South of 39 Deg. 35 Min. 00 Sec.
Longitude: 2,750 Feet West of 81 Deg. 00 Min. 00 Sec.

Well Type: OIL X GAS X

Company	Triad Hunter, LLC	Coal Operator	N/A
	125 Putnam Street	or Owner	
	Marietta, Ohio 45750		
Agent	Kim Arnold	Coal Operator	N/A
		or Owner	
Permit Issued Date	2/12/14		

AFFIDAVIT

STATE OF ~~WEST VIRGINIA~~ ^{OHIO}
County of Washington ss:

Ben Smeltzer and _____ being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 2nd day of June, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
75 sks. Class A	1,483'	1,440'	none	1382' - 5 1/2" csg.
30 sks. Class A	1,388	1,130'	none	1382' - 5 1/2" csg.
20 sks. Class A	789'	617'	none	1382' - 5 1/2" csg.
40 sks. Class A	221'	surface	none	1382' - 5 1/2" csg.
Total Cement= 165 sks.	Class A Cement			Note: 5 1/2" casing cemented
6% gel spacers pumped	between cement plugs			

Description of monument: 7" casing w/ I.D. plate containing well name and permit # and that the work of plugging and filling
said well was completed on the 3rd day of June, 2014.

And further deponents saith not.

Sworn and subscribe before me this 5th day of June, 2014

My commission expires: 2-24-16

Notary Public

Affidavit reviewed by the Office of Oil and Gas:

Title: Oil & Gas Inspector



95-00621

Hole T.D. = 1500'
Top Big Injun @ 1471'

TO: Rocky Roberts
FROM: Ben Smeltzer
SUBJECT: F.R. Wells # 5

(Date)	(Description)
5/30/14	Tallied 30 joints of 2 3/8" tubing, ran 29 joints in hole and tagged rods @ 900 feet.
(Fri.)	Pulled tubing OOH, maximum weight @ 12,000 lbs., rods present, pulled 24 rods (600') OOH, Total Rods fished from hole = 58 (1450'), estimated 1 or 2 rods left in hole plus pump barrel, decision made to cease fishing, ran 44 joints of 2 3/8" tubing in hole to 1388', shut down for weekend, will plug well on Monday.
6/02/14	Added three joints of 2 3/8" tubing, depth of tubing = 1483', MIRU Formation
(Mon.)	Cementing and Green Hunter Water @ 8:30 am. Pumped bottom hole cement plug with 75 sks. Class A Cement; 1/2 lb. cotton seed hulls/sk., and 2% CaCl., good circulation of gas, no circulation of fluid., pumped 10 bbls. of gel ahead of cement. Pulled tubing OOH by 11:15 am., MIRU Appalachian Well Surveys, ran Gr/CCL/Bond tool in hole, top of 1 st cement plug at 1440', bottom of 5 1/2" casing at 1382', ran bond log up to top of fluid @ 740', 5 1/2" casing appears cemented – Good Bond. ** Since the shot hole drank the first cement plug, it will be necessary to run 2 3/8" tubing to total depth and set another cement plug in the bottom of the hole and up into the 5 1/2" casing. Ran 44 joints (1388') of 2 3/8" tubing in hole by 1:45 pm. Pumped 2 nd Cement Plug with 30 sks. Class A cement; 1/2 lb flo-seal/sk. and 2% CaCl. Plug interval from 1388' to 1130', No circulation of fluid to surface. Pulled 19 joints of tubing and set tubing at 789'. Pumped 3 rd Cement Plug with 20 sks. Class A cement; 1/2 lb. flo-seal/sk. and 2% CaCl.

RECEIVED
Office of Oil and Gas
JUN 13 2014
IV Department of
Mentor

95-00621

Circulated fluid to surface; trace of oil – mostly saltwater, approximately 5-10 bbls.

Pulled 18 joints of tubing and set tubing at 221'.

Pumped 4th Cement Plug with 40 sks. Class A cement; ¼ lb. flo-seal/sk. and 2% CaCl.

Circulated cement to surface and shut down, pulled remaining 7 joints of tubing OOH by 3:25 pm., top loaded casing with cement, job done @ 3:35 pm.

Cleaned up equipment and RDMO Formation Cementing and Green Hunter Water.

Rigged down service rig and moved off location. Will top off casing with cement if necessary and set monument tomorrow.

Product Summary

165 sacks Class A Cement

100 lbs. Gel

80 lbs. LCM – cotton seed hulls

250 lbs. accelerator – CaCl

25 lbs. flo-seal

100 bbls. fresh water

RECEIVE
Office of Oil and Gas

JUN 13 2011

Department of Energy
Minerals

Revised
130381

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: CUB CREEK COAL CO. Operator Well No.: A-5-1380

LOCATION: Elevation: 1207 Quadrangle: GILBERT 7.5
District: HUFF CREEK County: WYOMING
Latitude: 4155161 Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: 428827 Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT PRODUCTION CO.
120 PROFESSIONAL PLACE
BRIDGEPORT, WV 26330

Coal Operator M/M GHD LANDS INC.
or Owner PO BOX 545, 202 WELK COURT
SUMMERSVILLE, WV 26651

Coal Operator NONE
or Owner _____

Agent JOHN DAMATO
Permit Issued Date 3-26-2014

RECEIVED
Office of Oil and Gas
JUN 23 2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of WYOMING ss:

HAROLD HALE OSWALD WILEY and ROGER McCOMAS being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 14th day of April, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
GEL HOLE	3585	SURFACE		
PULL 2-3/8 EUE	3619	0	3619	0
CEMENT	3585	3282		
CEMENT	2731	2620	PERF 5-1/2 FROM 2781 TO 2681	
CEMENT	2574	2310	PERF 5-1/2 FROM 2500 TO 2422	
CEMENT	1478	1198	PERF 5-1/2 FROM 1425 TO 1387	PERF 5-1/2 FROM 1204 TO 1200
5-1/2	1182	0	1182	2416

Description of monument: ERECT MONUMENT WITH API 47-109-00627 and that the work of plugging and filling said well was completed on the 2nd day of MAY, 2014.

And further deponents saith not.


Sworn and subscribe before me this 6th day of May, 2014

My commission expires: 2/10/2015

Notary Public

Affidavit reviewed by the Office of Oil and Gas:

Title: WV DEP Oil & Gas Insp.



STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: CUB CREEK COAL CO. Operator Well No.: A-5-1380

LOCATION: Elevation: 1207' Quadrangle: GILBERT 7.5'
District: HUFF CREEK County: WYOMING
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT PRODUCTION COMPANY
120 PROFESSIONAL PLACE
BRIDGEPORT, WV 26330

Coal Operator M/M GHD LANDS INC.
or Owner P.O. BOX 545 / 202 WELK COURT
SUMMERSVILLE, WV 26651

Agent JOHN DAMATO

Coal Operator _____
or Owner _____
Office of Oil and Gas

Permit Issued Date 3/26/2014

JUN 28 2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of KANAWHA ss:

WV Department of
Environmental Protection

ROGER McCOMAS and OSWALD WILEY

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 14TH day of APRIL, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	1195'	1000'		
CEMENT	817'	600'	0	672' - 10 3/4"
CEMENT	315'	SURFACE	PERF 10 3/4": 247'	
			PERF 10 3/4": 98' - 87'	PERF 10 3/4": 35' - 34'
			PERF 10 3/4": 15' - 14'	


Description of monument: ERECT MONUMENT WITH API: 47-10900627
said well was completed on the 2nd day of MAY, 2014, and that the work of plugging and filling

And further deponents saith not.

Roger McComas
Oswald Wiley

Sworn and subscribe before me this 14 day of MAY, 2014

My commission expires: 2/10/2014



Daniel N. Bays
Notary Public

Affidavit reviewed by the Office of Oil and Gas: [Signature]

Title: WV DEP
Oil & Gas Insp.